

GRAZER NOVA

Lolium westerwoldicum

- Early = fast access to forage
- High total drymatter yield in particular the 1st cut
- Good lodging tolerance
- Easy silage



Very early heading

GRAZER NOVA heads very fast after sowing. With the score of 1 for heading on the scale from 1-9 in Germany (BSA) it is amongst the earliest available.

Very productive variety

Right from the 1st cut, the yield is +35% compared to standards. Good lodging tolerance. Despite the early heading the lodging resistance is good when the cut is taken at the optimal stage.

Easy conservation

As a diploid the dry matter content is about 2% higher than for tetraploids. This allows faster drying in the field and easier conservation as hay or silage without compromising forage quality.

Technical Specifications

- Westerwold/annual ryegrass
- Diploid very early variety with high dry matter production
- Listed/recommended in EU DE UK
- Lateness: Early

Score for dry matter yield of 1st cut

Source: BSA (Germany). 1-9, 9=high yield

| | Score for yield |
|----------------|-----------------|
| Average all 2n | 6,2 |
| Grazer Nova | 7 |

Rust susceptibility

Source: BSA (Germany). 1-9, 9=susceptible

| | Rust susceptibility |
|----------------|---------------------|
| Average all 2n | 3,8 |
| Grazer Nova | 3 |

Ratings

Scale 1-9, where 9 = best or most pronounced

