


VIOLIN

Trifolium repens




White clover

Confirmed high performance in the UK and in Germany

- Excellent persistency with hard and light defoliation
- Maintains yield in the 3rd year = high persistency
- Very high contribution of clover yield = protein!
- Good slug "resistance" due to HCN plant frequency

Ratings



Adapted to milder regions

VIOLIN fits perfectly in mixtures for regions with milder winters, as it is more active during the colder months of the year.

Safer establishment

VIOLIN has an average higher frequency of plants with HCN, making it less vulnerable in case of slug attacks.

Excellent persistency

The high yield in the 3rd year proves the superior persistency of VIOLIN.

Excellent ground cover

Whether hard or light defoliation, the ground cover of VIOLIN is well above average.

Add protein to the forage ration

The very high pure clover yield = higher protein in the grass+clover forage ration.

Relative yields & characteristics

Source: Recommended Grass and Clover Lists

	Leaf Size	3rd harvest yr Total yield clover	3rd harvest yr Total yield clover+grass	Autumn ground cover	Autumn ground cover
	mm ²	100 = 3.76 t/ha	100 = 12.37 t/ha	after light defoliation	after hard defoliation
Average 19 varieties	783	104	101	6,1	6,9
Violin	883	122	107	7,3	7,6

Scale for defoliation: 1 = poor, 9 = good